

MEDISTIK DUAL- menthol, methyl salicylate, eucaluptus stick
Natureteq Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

NATURETEQ - MEDISTIK PRO DUAL ACTION STICK, 50231-211

ACTIVE INGREDIENTS

Menthol 15%

Methyl Salicylate 30%

Eucaluptus Oil 1%

PURPOSE

Topical Analgesic

USES

MEDISTIK™ DUAL provides temporary soothing relief of sore muscles associated with strains and sprains, backaches, lumbago, pain of tendons and/or ligaments as well as arthritic or rheumatic pain

WARNINGS

For external use only. The application of external heat may cause skin irritation or burn. Avoid contact with eyes and broken skin. Do not bandage. DO NOT USE IF ALLERGIC TO SALICYLATES OR IF TAKING ANTICOAGULANT MEDICATIONS. Stop use and consult a physician if condition worsens, rash or irritation develops, or if symptoms persist for more than 7 days or clear up and recur in a few days.

DIRECTIONS

For use on adults and children over 12 years of age. Apply generously to the affected area using hands-free applicator. Use 3 to 4 times per day as required. A stinging or burning sensation will be experienced during the first few minutes as the formula begins working. For arthritis or muscle pain of the hands, retain for at least 10 minutes then wash hands.

INACTIVE INGREDIENTS

Paraffin Wax, Hydrogenated Castor Oil, White Petrolatum, Oleic Acid 700, BHT

KEEP OUT OF REACH OF CHILDREN

MEDISTIK[®]

PAIN RELIEF



BACKACHE & ARTHRITIS
MUSCLE & JOINT PAIN

DEEP PENETRATING
PAIN RELIEF AND ANTI-INFLAMMATORY

+ EXTRA STRENGTH

58g

Drug Facts

Active Ingredients	Purpose
Menthol 15%	Topical Analgesic
Eucalyptus Oil 1%	Topical Analgesic
Methyl Salicylate 30%	Topical Analgesic

Uses Temporarily relieves minor aches and pains of muscles and joints associated with ■ simple backache ■ arthritis ■ strains ■ sprains ■ bruises ■ cramps

Warnings For external use only

Allergy alert: If prone to allergic reaction from aspirin or salicylates, ask a doctor before use

When using this product ■ use only as directed ■ avoid getting into the eyes and mucous membranes ■ do not bandage tightly or use with a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask doctor if ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ excessive skin irritation or redness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children to avoid accidental ingestion. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ adults and children 12 years of age and older: apply generously to affected area using hands-free applicator ■ massage into painful area until thoroughly absorbed into skin ■ repeat as necessary, but no more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor

Inactive Ingredients ■ BHT, hydrogenated castor oil, oleic acid 700, paraffin wax, white petrolatum

Natureteq Inc. | NDC 50231-211
5-62 Alness St, Toronto, ON,
Canada M3J 2H1 | 855-347-0226



MADE IN CANADA
MEDISTIK.com

MEDISTIK DUAL

menthol, methyl salicylate, eucalyptus stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50231-211
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 g
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HYDROGENATED CASTOR OIL (UNII: Z F94AP8MEY)	
OLEIC ACID (UNII: 2UMI9U37CP)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50231-211-11	58 g in 1 CANISTER; Type 0: Not a Combination Product	04/15/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	04/15/2011	

Labeler - Natureteq Inc. (243737371)